



Outlook *plus*™

FULL-STRENGTH bathware line.
Engineered for every stage of life.



KER[®]
BY MAA^X

TABLE OF CONTENTS

AKER'S NEW OUTLOOK *plus* SERIES 4

ACCESSIBILITY CODE COMPLIANT SERIES

EASY ORDERING PROCESS..... 6
 THRESHOLD INSTALLATION TYPES 8
 PACKAGE COMPONENTS, OPTIONS & ACCESSORIES..... 9
 OPTS-6032 TUB SHOWER 10
 OPS-6036-RS | OPS-6036 ROLL-IN SHOWER 11
 OPS-6030-RS | OPS-6030 ROLL-IN SHOWER 12
 OPS-3636-RS | OPS-3636 TRANSFER SHOWER..... 13

GENERATION + SERIES

PREPARE FOR TOMORROW'S NEEDS WITH TODAY'S STYLE 14
 OPTIONS & ACCESSORIES 15
 OPTS-6032G-2P TUB SHOWER 17
 OPS-6034G SHOWER 18
 OPS-5634G SHOWER 19
 OPS-4836G SHOWER 20
 OPS-3636G SHOWER 21

COLOR CHART | MAINTENANCE 22



INDEPENDENCE. WE VALUE IT MOST WHEN IT ELUDES OUR GRASP.



AKER gives you independence at any stage of life with our comprehensive Outlook *plus* Series of showers and tub showers to meet needs across generations.

Outlook *plus* bathware keeps everyone in mind regardless of age, size or ability because the desire for comfort and security is universal. However, we never skimp on style. Even our products designed specifically to meet the growing need for accessibility code compliance feature the classic lines and looks that appeal to any sensibility.

In other words...

Outlook *plus* is the complete package.



THE "U.S." IN "USABILITY"

Made only in state-of-the-art U.S. facilities, AKER Outlook *plus* products have gained dependability from bringing a Full-Strength Approach to quality and service for more than 40 years.

We start by hand rolling the fiberglass and resin laminate up to four times, and we don't skimp on the mix. Next, we use balsa wood, sandwiched between layers of reinforced fiberglass, to stabilize our four-part "Anti-flex" construction. Finally, we reinforce the sidewalls with fiberglass and wood ensuring sturdier installation, meaning a safer overall product.

AKER stands behind its products with industry-leading warranties against structural, surface and cosmetic defects. All gelcoat units are covered for 5 years. Plus, our USA-based customer service is just one more way we fulfill our mission to offer the best support while making it easy to do business with us.

AKER's Outlook *plus* Series is easy for everyone because it's **Built to Perform.**

AKER'S NEW OUTLOOK *plus* SERIES SIMPLIFIES LIFE FOR EVERYONE.



ACCESSIBILITY CODE COMPLIANT SERIES

Our Code Compliant models meet **major accessibility building codes**, including ADA and ANSI¹ when fully equipped and installed according to guidelines. These showers and tub showers provide **accessibility** and **optimal safety** today and tomorrow. For example, each unit has reinforced walls, in accordance with the accessibility requirements of the Fair Housing Act, to offer versatility in grab-bar and seat placement when not factory installed. Code-specific option packages for seats and grab bars make choosing the right unit a snap.



GENERATION+ SERIES

Our **GENERATION+** models appeal to a broad base of ages and abilities to allow **graceful adaptation through the years** – from preening parent to active adult. We apply our design innovation to universal **user-friendliness and comfort** for ultimate peace of mind. Stylish accessories and built-in features let you adapt for lifestyles from cradle to cane.



¹Outlook *plus* units also meet Massachusetts state code requirements when fully equipped and installed according to guidelines. Refer to separate document for more information.



Choosing the right Outlook plus code compliant model, regardless of project type, is almost as easy as using one because AKER wants you to **save time, money and hassle.**

Our base models come in industry-standard dimensions and popular styles. All feature **reinforced walls, in accordance with the accessibility requirements of the Fair Housing Act,** making future modifications simple and sound. When you choose a fully compliant package, rest assured it meets the current major building code of your choosing and features the best options available. Finally, we **simplified selections** with unique, instinctive ordering codes to minimize confusion.

ORDERING IS THEN AS EASY AS 1-2-3

- 1 Select the model according to size / style / skirt height
- 2 Select a configuration package:
 - Base model
 - Partial packages (grab bar only or with seat)
 - Fully compliant units
- 3 If desired, select additional options and accessories.

AKER's Outlook plus Series is easy for everyone – our business partners and our users – because it's **Built to Perform.**

Code compliance: ANSI-ICC A117.1, ADA Standards for Accessible Design, 521 CMR (Massachusetts), FHA, CSA B45.5-11 / IAPMO Z124-2011, HUD UM 73a, ASTM F-462.

TUB SHOWER



ANSI package shown

STANDARD FEATURES

1-piece gelcoat tub shower


- Reinforced walls according to Fair Housing Act accessibility requirements
- Above-the-Floor Rough
- Right or left-hand drain
- Textured bottom
- Total apron height 17 3/4"

PACKAGES COMPONENTS

- Textured stainless steel straight grab bars
- Removable Phenolic white seat
- Compliant pressure balance mixing valve, hand shower, slide bar and flexible hose

OPTIONS & ACCESSORIES

- Chrome curtain rod
- Chrome recessed soap dish
- White vinyl shower curtain with stainless steel hooks



Sidewalls reinforcement according to Fair Housing Act accessibility requirements

TRANSFER & ROLL-IN SHOWERS



ADA I ANSI package (with seat) shown

STANDARD FEATURES

1-piece gelcoat shower

- Reinforced walls according to Fair Housing Act accessibility requirements
- Available with 1 1/8" skirt and 3/4" reduced skirt
- 1/2" threshold
- Center drain
- Textured bottom

PACKAGE COMPONENTS

- Textured stainless steel grab bars: straight, L-shaped or U-shaped
- L-Shaped fold-up Phenolic white seat
- Compliant pressure balance mixing valve, hand shower, slide bar and flexible hose

OPTIONS & ACCESSORIES

- Chrome curtain rod
- Chrome recessed soap dish
- White vinyl shower curtain with stainless steel hooks


MAAX assumes no responsibilities for final code compliance. Information and specifications taken from this document must be confirmed with appropriate authorities. Units are code compliant when fully equipped and installed according to guidelines. Outlook plus units also meet Massachusetts state code requirements when fully equipped and installed according to guidelines. Refer to separate document for more information.






INSTALLS EASILY ANY WAY YOU CHOOSE

Outlook plus installs easily, cleanly and securely in any situation. Choose our 1 1/8 inch skirt with a built-in flange or our standard 3/4-inch reduced skirt: either works equally well for recessed in-floor or on-floor installation.





Once properly placed, the 1/2-inch interior and exterior beveled threshold edges of our Outlook plus units allow walk-in or roll-in shower access without worry.




OUR 1 1/8 INCH SKIRT

Simplify your work with this unit's added height to achieve proper leveling and drainage without boxing out the subfloor. A front flange secures the base under recessed or built-up flooring, eliminating the need for brackets, for a sturdy fit that prevents cracking and bowing of the threshold.



OUR 3/4 INCH REDUCED SKIRT

Perfect for common 3/4-inch finish floor applications, this unit requires a 10-by-10 inch area to be boxed out to allow the drain to sit below the subflooring. A simple 90-degree bracket can secure the center of the threshold to the floor for added stability and sturdiness during installation.



ACCESS RAMP

A code-compliant 1:12 access ramp, when installed according to its manufacturer's guidelines, can also be used with either product or installation method.

Customize any AKER Outlook plus unit to best suit your desire for comfort and security with our comprehensive selection of code compliant packages, options and accessories. Options are factory-installed on the units; whereas accessories come separately and therefore can be ordered after the product is installed. Consult product pages to see the available options and accessories for each of our products.

PACKAGE COMPONENTS

Grab Bars	Curtain Rod
 <p>AKER's Outlook plus textured stainless steel grab bars feature an easy to clean smooth surface. Straight¹, L-shaped² or U-shaped³, in multiple dimensions, there is one for every need. All grab bars are 1 1/4" in diameter, securely bolted through the wall, and are designed and tested to withstand up to 300 lbs. of pressure as per major accessibility building codes.</p>	 <p>Chrome curtain rod is factory installed. A white vinyl shower curtain is sold separately.</p>
Phenolic Fold-Up Shower Seat	Soap Dish
 <p>AKER's Outlook plus L-shaped fold-up seat is made with stainless steel frames and white Phenolic seat tops. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria. This fold-up seat virtually disappears in the shower when you don't need it, but is accessible when you do. All seats are designed and tested to withstand 300 lbs. of load capacity.</p>	 <p>Functional recessed chrome soap dish for added storage space.</p>
Phenolic Removable Tub Shower Seat	Shower Curtain
 <p>AKER's Outlook plus rectangular shaped removable seat is made with stainless steel frames and white Phenolic seat tops. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria. The seat can be placed on the tub for safe and secure transfers or completely removed when not required to optimize space. All seats are designed and tested to withstand 300 lbs. of load capacity.</p>	 <p>White anti-bacterial vinyl curtain with stainless steel hooks.</p>
Faucet Kit	Shower Drain
 <p>Optimize your shower experience with the Outlook plus Code Compliant faucet kit available in chrome. The kit includes a pressure balance mixing valve, hand-held shower, a 24" slide bar and 60" flexible hose.</p>	 <p>Functional solid brass shower drain with chrome stainless steel grid. Quick caulk-seal feature.</p>

MAAX assumes no responsibilities for final code compliance. Information and specifications taken from this document must be confirmed with appropriate authorities. Units are code compliant when fully equipped and installed according to guidelines. Outlook plus units also meet Massachusetts state code requirements when fully equipped and installed according to guidelines. Refer to separate document for more information.





OPTS-6032 TUB SHOWER

DIMENSIONS

- Interior dimensions: 57" L x 31 1/2" W x 69 3/4" H
- Exterior dimensions: 59 3/4" L x 34" W x 74 1/2" H
- Apron height: 17 3/4"

STANDARD FEATURES

- 1-piece tub shower
- Reinforced according to Fair Housing Act accessibility requirements
- Right or left-hand drain
- Textured bottom
- Above-the-Floor Rough
- Available in standard and non-standard colors

Tub shower with complete ANSI package shown



OPS-6036-RS | OPS-6036 ROLL-IN SHOWER

DIMENSIONS


- Interior Dimensions: 60" L x 36" W x 76 5/8" H
- Exterior Dimensions: **RS** 60 1/2" L x 39 1/4" W x 78 3/8" H
60 1/2" L x 39 1/4" W x 78 3/4" H
- Skirt height: **RS** 3/4" & 1 1/8"
- Threshold: 1/2"

STANDARD FEATURES


- 1-piece roll-in shower
- Reinforced according to Fair Housing Act accessibility requirements
- Center drain
- Textured bottom
- Available in standard and non-standard colors

Shower with complete ADA / ANSI package with seat shown

CONFIGURATIONS


1  (141309-R/L¹)

TUB SHOWER BASE MODEL

2  (141310-R/L¹) ADA
(141311-R/L¹) ANSI

TUB SHOWER BASE MODEL WITH ADA OR ANSI GRAB BARS

- 4 x 24" Horizontal straight textured stainless steel grab bars (ADA & ANSI)
- 1 x 18" Vertical straight textured stainless steel grab bar (ANSI only)

3  (141312-R/L¹)

TUB SHOWER BASE MODEL WITH ADA GRAB BARS & SEAT

- 4 x 24" Horizontal straight textured stainless steel grab bars
- Removable Phenolic white seat

4  (141313-R/L¹)

TUB SHOWER BASE MODEL WITH ANSI GRAB BARS & SEAT

- 4 x 24" Horizontal straight textured stainless steel grab bars
- 1 x 18" Vertical straight textured stainless steel grab bar
- Removable Phenolic white seat

5  (141314-R/L¹)

TUB SHOWER BASE MODEL WITH COMPLETE ADA PACKAGE

- 4 x 24" Horizontal straight textured stainless steel grab bars
- Removable Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose


6  (141315-R/L¹)

TUB SHOWER BASE MODEL WITH COMPLETE ANSI PACKAGE


- 4 x 24" Horizontal straight textured stainless steel grab bars
- 1 x 18" Vertical straight textured stainless steel grab bar
- Removable Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

¹ R/L hand refers to right or left drain positioning.
² Soap dish and curtain rod sold separately.

CONFIGURATIONS


1  **RS** (141336)
(141294)

SHOWER BASE MODEL

2  **RS** (141337-R/L¹)
(141295-R/L¹)


SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR

- 1 x Horizontal L-shaped 37" x 33" textured stainless steel grab bar

3  **RS** (141338)
(141296)


SHOWER BASE MODEL WITH ADA U-SHAPED GRAB BAR

- 1 x Horizontal U-shaped 33" x 60" x 33" textured stainless steel grab bar

4  **RS** (141339-R/L¹)
(141297-R/L¹)


SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR & SEAT

- 1 x Horizontal L-shaped 37" x 33" textured stainless steel grab bar
- L-shaped fold-up Phenolic white seat

5  **RS** (141340-R/L¹)
(141298-R/L¹)

SHOWER BASE MODEL WITH COMPLETE ADA / ANSI PACKAGE (WITH SEAT)

- 1 x Horizontal L-shaped 37" x 33" textured stainless steel grab bar
- L-shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

6  **RS** (141341)
(141299)

SHOWER BASE MODEL WITH COMPLETE ADA PACKAGE (WITHOUT SEAT)

- 1 x Horizontal U-shaped 33" x 60" x 33" textured stainless steel grab bar
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

¹ R/L hand refers to right or left grab bar positioning.
² Soap dish and curtain rod sold separately.





OPS-6030-RS | OPS-6030 ROLL-IN SHOWER

DIMENSIONS

- Interior dimensions : 60" L x 30 1/4" W x 76 5/8" H
- Exterior dimensions : **RS** 62 7/8" L x 33 1/4" W x 78 3/8" H
62 7/8" L x 33 1/4" W x 78 3/4" H
- Skirt height: **RS** 3/4" & 1 1/8"
- Threshold: 1/2"

STANDARD FEATURES

- 1-piece roll-in shower
- Reinforced according to Fair Housing Act accessibility requirements
- Center drain
- Textured bottom
- Available in standard and non-standard colors

Shower with complete ADA / ANSI package with seat shown



OPS-3636-RS | OPS-3636 TRANSFER SHOWER

DIMENSIONS

- Interior dimensions: 36" L x 36" W x 76 5/8" H
- Exterior dimensions: **RS** 38 3/4" L x 39" W x 78 3/8" H
38 3/4" L x 39" W x 78 3/4" H
- Skirt height: **RS** 3/4" & 1 1/8"
- Threshold: 1/2"

STANDARD FEATURES

- 1-piece transfer shower
- Reinforced according to Fair Housing Act accessibility requirements
- Center drain
- Textured bottom
- Available in standard and non-standard color

Shower with complete ANSI package shown

CONFIGURATIONS

1



RS (141329)
(141287)

2



RS (141330-R/L)¹
(141288-R/L)

3



RS (141331)
(141289)

SHOWER BASE MODEL

SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR

- 1 x Horizontal L-shaped 27" x 37" textured stainless steel grab bar

SHOWER BASE MODEL WITH ADA U-SHAPED GRAB BAR

- 1 x Horizontal U-shaped 27" x 60" x 27" textured stainless steel grab bar

CONFIGURATIONS

1



RS (141321)
(141271)

2



RS (141322-R/L)¹ ADA
RS (141323-R/L)¹ ANSI
(141272-R/L)¹ ADA
(141273-R/L)¹ ANSI

3



RS (141324-R/L)¹
(141274-R/L)¹

SHOWER BASE MODEL

SHOWER BASE MODEL WITH ADA OR ANSI GRAB BAR

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar (ADA & ANSI)
- 1 x Vertical 18" straight textured stainless steel grab bar (ANSI only)

SHOWER BASE MODEL WITH ADA GRAB BAR & SEAT

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat

4



RS (141332-R/L)¹
(141290-R/L)

5



RS (141333-R/L)¹
(141291-R/L)

6



RS (141334)
(141292)

SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR & SEAT

- 1 x Horizontal L-shaped 27" x 37" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat

SHOWER BASE MODEL WITH COMPLETE ADA / ANSI PACKAGE (WITH SEAT)

- 1 x Horizontal L-shaped 27" x 37" textured stainless steel grab bar
- L-shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

SHOWER BASE MODEL WITH COMPLETE ADA PACKAGE (WITHOUT SEAT)

- 1 x Horizontal U-shaped 27" x 60" x 27" textured stainless steel grab bar
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

4



RS (141325-R/L)¹
(141275-R/L)¹

5



RS (141326-R/L)¹
(141276-R/L)¹

6



RS (141327-R/L)¹
(141277-R/L)¹

SHOWER BASE MODEL WITH ANSI GRAB BAR & SEAT

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- 1 x Vertical 18" straight textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat

BASE MODEL WITH COMPLETE ADA PACKAGE

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- L-shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

BASE MODEL WITH COMPLETE ANSI PACKAGE

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- 1 x Vertical 18" straight textured stainless steel grab bar
- L-shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

¹ R/L hand refers to right or left grab bar positioning.
² Soap dish and curtain rod sold separately.

¹ R/L hand refers to right or left grab bar positioning.
² Soap dish and curtain rod sold separately.





Prepare for **tomorrow's needs with today's styles** by choosing our always accessible, easily adaptable **GENERATION +** Series. Each model accommodates a wide **range of abilities and sensibilities**, intelligently designed to evolve as your needs do.

The **GENERATION +** products balance your priority of **comfort and peace of mind** with your desire for a modern look that never feels dated. Reinforced walls offer versatility in grab-bar and seat placement - **now or in the future**. AKER's vast selection of grab bars, seats and accessories allow you the ability to customize your experience. In addition, the smooth, clean lines beckon you into a **lifetime of clean living**.

AKER **GENERATION +** products aim to promote autonomy while simplifying the user's day to day life. Each model offers a set of options and accessories for a complete customized experience. Homeowners will appreciate how AKER Outlook plus performs beautifully. **Options are factory-installed on the units**; whereas accessories come separately and therefore can be ordered after the product is installed.

Consult product pages to see the available options and accessories for each of our products.


OPTIONS & ACCESSORIES

Grab Bars



Modern and stylish grab bars, featuring an easy to clean smooth surface. **Straight, Curved** or **Pivot**, available in multiple dimensions, they are ergonomically designed for your safety and comfort. Select the color that suits your style: white, chrome or brushed nickel. They can be factory-installed or purchased separately for future installation.



Straight: For horizontal, vertical, side walls or back wall installation.



Curved: Evolve with your reality, each of the 3 sections of the bar have a specific purpose.

Pivot: Pivots at a 180° angle and locks in place for multiple stable and secure assistance positions.

¹ Left-hand shown | ² Left-hand shown | ³ Pivot Direct



Phenolic Fold-Up Shower Seat



AKER's **GENERATION +** rectangular fold-up shower seat is 26" wide and is made with stainless steel frames and Phenolic seat tops available in white or teak. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria.

This fold-up seat virtually disappears in the shower when you don't need it, but is accessible when you do. All seats are designed and tested to withstand **300 lbs.** of load capacity.



Fold Down Seat



Relax and enjoy the soothing benefits of AKER's **GENERATION +** high quality fold down shower seat made of long-lasting Polyurethane. This seat is 19" wide and has rounded, smooth edges with hinges that allow for a safe and easy side transfer while eliminating discomfort for pressure sensitive bathers.

This minimalist seat comes in white only while fixtures are available in 3 finishes (white, chrome and brushed nickel). AKER shower seats have been designed and tested to support loads up to **300 lbs.**




OPTIONS & ACCESSORIES (cont'd)

Phenolic Removable Tub Shower Seat




AKER's **GENERATION +** rectangular removable seat is 29" wide and is made with stainless steel frames and Phenolic seat tops available in white or teak. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria.




The seat can be placed on the tub for safe and secure transfers or completely removed when not required to optimize space. All seats are designed and tested to withstand **300 lbs.** of load capacity when properly installed.

Faucet Kit



Optimize your shower experience with the Outlook plus faucet kit. The kit includes a pressure balance mixing valve, hand-held shower, a 24" slide bar and 60" flexible hose. Available in chrome & brushed nickel.

Curtain Rod



Chrome or stainless steel curtain rod factory installed. A white vinyl shower curtain is sold separately.

Shower Curtain



White anti-bacterial vinyl curtain with stainless steel hooks.

Soap Dish



Functional recessed chrome or white soap dish for optimal showering experience.

Shower Drain



Functional solid brass shower drain with chrome stainless steel grid. Quick caulk-seal feature.

MAAX® SHOWER DOORS

MAAX offers a **wide selection of custom-fit shower door styles** that work seamlessly with **GENERATION +** tub shower and shower units.

Consult MAAX website for more information.

www.maax.com



OPTS-6032G-2P TUB SHOWER

DIMENSIONS

- Interior dimensions: 56 1/2" L x 30 3/8" W x 74" H
- Exterior dimensions: 59 3/4" L x 33" W x 78 1/2" H
- Apron height: 17 3/4"

STANDARD FEATURES (141302)

- 2-piece tub shower reinforced for customized placement of grab bars and seat
- Right or left-hand drain
- Textured bottom
- Above-the-Floor Rough
- Available in standard and non-standard colors

CUSTOMIZE YOUR EXPERIENCE


- 1 18" & 24" (H+V), 36" (H) & 42" (H) straight grab bars ¹
- 2 47" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular removable Phenolic seat
- 5 60" curtain rod
- 6 Pressure balance mixing valve with hand-held shower, slide bar and hose
- 7 Recessed soap dish

¹ (H) Horizontal / (V) Vertical

OPS-6034G SHOWER



OPS-5634G SHOWER



DIMENSIONS

- Interior dimensions: 59" L x 34" W x 72 1/2" H
- Exterior dimensions: 63" L x 37" W x 75 1/2" H
- Skirt height: 2"
- Threshold: Zero

STANDARD FEATURES (141301)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
 - Textured bottom
 - Available in standard and non-standard colors

CUSTOMIZE YOUR EXPERIENCE

- 1 18" (V), 24" (V+H), 36 & 48" (H) straight grab bars¹
- 2 47" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular 19" wide fold down Polyurethane seat
- 5 Rectangular 26" wide fold-up Phenolic seat
- 6 60" curtain rod
- 7 Pressure balance mixing valve with hand held shower, slide bar and hose
- 8 Recessed soap dish

DIMENSIONS

- Interior dimensions: 56" L x 34" W x 72 1/4" H
- Exterior dimensions: 59 3/4" L x 37" W x 75 1/2" H
- Skirt height: 2"
- Threshold: Zero

STANDARD FEATURES (141286)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
 - Textured bottom
 - Available in standard and non-standard colors

CUSTOMIZE YOUR EXPERIENCE

- 1 18" & 24" (H+V) & 30" (H) straight grab bars¹
- 2 32" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular 19" wide fold down Polyurethane seat
- 5 Rectangular 26" wide fold-up Phenolic seat
- 6 56" curtain rod
- 7 Pressure balance mixing valve with hand held shower, slide bar and hose
- 8 Recessed soap dish

¹ (H) Horizontal / (V) Vertical

¹ (H) Horizontal / (V) Vertical

OPS-4836G SHOWER



OPS-3636G SHOWER



DIMENSIONS

- Interior dimensions: 48" L x 36" W x 76 3/8" H
- Exterior dimensions: 50 1/2" L x 39" W x 78 1/2" H
- Skirt height: 1 1/8"
- Threshold: 1/2"

STANDARD FEATURES (141285)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
- Textured bottom
- Available in standard and non-standard colors

CUSTOMIZE YOUR EXPERIENCE

- 1 18" (V), 24" (H+V), 30" & 36" (H) straight grab bars¹
- 2 32" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular 19" wide fold down Polyurethane seat
- 5 Rectangular 26" wide fold-up Phenolic seat
- 6 48" curtain rod
- 7 Pressure balance mixing valve with hand held shower, slide bar and hose
- 8 ReCESSED soap dish

DIMENSIONS

- Interior dimensions: 36" L x 36" W x 72 1/4" H
- Exterior dimensions: 38 1/2" L x 38 3/4" W x 75 1 1/4" H
- Skirt height: 2"
- Threshold: Zero

STANDARD FEATURES (141284-R/L²)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
- Textured bottom
- Available in standard and non-standard colors

CUSTOMIZE YOUR EXPERIENCE

- 1 18" (V) & 24" (H+V) straight grab bars¹
- 2 23" curved grab bar
- 3 Rectangular 19" wide fold down Polyurethane seat
- 4 Rectangular 26" wide fold-up Phenolic seat
- 5 36" curtain rod
- 6 Pressure balance mixing valve with hand-held shower, slide bar and hose
- 7 Recessed soap dish

¹ (H) Horizontal / (V) Vertical

¹ (H) Horizontal / (V) Vertical / ² R/L hand refer to left or right grab bar positioning

COLOR CHART.

GELCOAT Standard Colors	
White (002)	
Bone (004)	
Biscuit (007)	
GELCOAT Non-Standard Colors	
Black (015)	
Day Dream (023)	
Dresden Blue (021)	
Dusty Rose (071)	
Fawn Beige (054)	
Glacier Blue (024)	
Ice Grey (017)	
Innocent Blush (066)	
Logan Berry (065)	
Mexican Sand (053)	
Peach Bisque (043)	
Ruby (073)	
Sand Bar (143)	
Sea Foam Green (034)	
Shell (069)	
Sky Light (028)	
Spring (169)	
Sterling Silver (006)	
Sunlight (168)	
Thunder Grey (019)	
Timberline (036)	
Wild Rose (067)	

MAINTENANCE.

AKER uses **durable, high quality** materials and **innovative** technology in manufacturing and design of its products to reduce the time needed to spend cleaning and caring for them. However, proper and regular maintenance is still vital.

Follow these general use and maintenance tips, as well as any that come with the AKER products, and you will be rewarded with years of great service.



Tub shower & Shower Maintenance

- ✓ **Wipe down after every use** with a squeegee or soft cloth. This reduces the buildup from soap, bath additives, natural body oils and mineral deposits in water, making cleaning easy and helping to maintain the unit's natural luster.
- ✓ **Clean regularly** with a non-abrasive cleaning spray or cream-based cleansing agent. Never use abrasive cleansers, scrapers, metal brushes, or anything that could scratch or dull the surface.
- ✓ **Add luster to and remove fine scratches** from tub and shower surfaces by cleaning and polishing regularly with regular car wax. However, avoid waxing tub and shower bottoms as these could become slippery.
- ✓ **Remove plaster residue** with a plastic or wooden spatula wrapped in a moist cloth.
- ✓ **Repair nicked or damaged surfaces** immediately using MAAX repair kits for gelcoat surfaces.



EXPERIENCE A GREENER MAAX®

The environment is important to all of us. We, at MAAX, believe in doing our part in reducing our ecological footprint.

This document is printed on FSC certified paper. FSC certification guarantees that all fibres used come from renewable sources and meet the highest international standards.

With your cooperation and understanding, through a simple gesture, it is quite impressive to see how we can all contribute improving our environment.



Join us at akerbymax.com

www.akerbymax.com is an essential and inspiring source of information.

In addition to finding all the products and therapeutic system details included in this book, our website offers design tips, product configurators and other useful sections such as a press room, technical support and where to buy.

Download technical drawings, installation guides, specification pages, photos and videos with one click

Our site, constantly evolving, is your personal assistant.





Full-Strength Bathware Line

For any questions or comments, please contact akercustomer care@maax.com

Technical Services

Tel: 1-800-962-2537
Fax: 1-304-263-8369
akertechnicalservices@maax.com

Customer Service

Tel: 1-800-962-2537
Fax: 1-304-263-8369
akercustomer care@maax.com

www.akerbymaax.com